

400 Series Door Panel Dimensions'


	G	H	I	J	K
Model 430 Framed	28 $\frac{1}{8}$ "	67 $\frac{11}{16}$ "	2 $\frac{1}{4}$ "	2 $\frac{1}{4}$ "	2 $\frac{1}{4}$ "
Model 430 Overlay'	28 $\frac{7}{16}$ "	68"	2 $\frac{1}{4}$ "	2 $\frac{1}{4}$ "	2 $\frac{1}{4}$ "
Model 427R ^{***}	26 $\frac{5}{8}$ "	45 $\frac{1}{4}$ "	2 $\frac{1}{4}$ "	3 $\frac{5}{8}$ "	3"
Model 427 ^{***}	26 $\frac{5}{8}$ "	75 $\frac{3}{4}$ "	2 $\frac{1}{4}$ "	3 $\frac{5}{8}$ "	8"
Model 424	23 $\frac{3}{4}$ "	30 $\frac{1}{16}$ "	2 $\frac{1}{4}$ "	2 $\frac{1}{4}$ "	2 $\frac{1}{4}$ "

[†] For ordinary solid door, use G and H dimensions.

^{††} All overlay panels require .25 inch backer, .10 inch spacer and decorative panels. See Sub-Zero Design Guide for specific sizes.

^{†††} For Model 427 -assumes finished height of 80" including 4" toe kick.
For Model 427R -assumes finished height of 80" overall.

Due to our continuous improvement program, all models and specifications are subject to change without notice.



424

WINE STORAGE

Overall Size: H 33 ¹/₆" W 23 ⁷/₈" D 24"

Door Swing Clearance: 25 ³/₈"

STORAGE CAPACITY

46 Bottles

5 Shelves

8 Bottles per Shelf

6 Bottles (Fixed Bottle Holder)


16 Bottles (Top Zone)

30 Bottles (Bottom Zone)

CRATED WEIGHT

190 pounds (Overlay)

195 pounds (Stainless Steel)



427

WINE STORAGE

Overall Size: H 80" W 27" D 24"

Minimum Height Required: 79 ½"

Door Swing Clearance: 25 ½"

STORAGE CAPACITY

132 Bottles

14 Shelves

9 Bottles per Shelf


6 Bottles (Display Shelf)

45 Bottles (Top Zone)

87 Bottles (Bottom Zone)

CRATED WEIGHT

395 pounds



427R

WINE STORAGE/REFRIGERATOR

Overall Size: H 80" W 27" D 24"

Minimum Height Required: 79 ½"

Door Swing Clearance: 25 ½"

STORAGE CAPACITY

78 Bottles

8 Shelves

9 Bottles per Shelf

6 Bottles (Display Shelf)


54 Bottles (Top Zone)

24 Bottles (Bottom Zone)

2 Refrigerated Drawers (5.2 cu. ft.)

CRATED WEIGHT

410 pounds



430

WINE STORAGE

Overall Size: H 84" W 30" D 24"

Minimum Height Required: 82 $\frac{7}{8}$ "

Door Swing Clearance: 30 $\frac{1}{8}$ "

STORAGE CAPACITY

147 Bottles

14 Shelves

10 Bottles per Shelf

7 Bottles (Display Shelf)

50 Bottles (Top Zone)

97 Bottles (Bottom Zone)

CRATED WEIGHT

435 pounds (Framed/Overlay)

445 pounds (Stainless Steel)

Area Requirements

MODEL	Finished Rough Opening Dimensions		Minimum Door Clearance Required at 90°	Minimum Height Required (with levelers in)	Recommended Electrical Outlet Location		Water Supply Location
	A	B			C	D	
632	47 1/2"	83 3/4"	29 1/4"	82 7/8"	75 1/2"	6"	23 3/4"
690	47 1/2"	83 3/4"	29 1/4"	82 7/8"	75 1/2"	6"	23 3/4"
642	41 1/2"	83 3/4"	25 9/16"	82 7/8"	75 1/2"	6"	20 3/4"
680	41 1/2"	83 3/4"	25 9/16"	82 7/8"	75 1/2"	6"	20 3/4"
561	35 1/2"	83 3/4"	20 3/4"	82 7/8"	75 1/2"	6"	17 3/4"
650	35 1/2"	83 3/4"	36 1/16"	82 7/8"	75 1/2"	6"	17 3/4"
611	29 1/2"	83 3/4"	30 1/8"	82 7/8"	75 1/2"	6"	14 3/4"
601R	35 1/2"	72 3/4"	36 1/16"	72 3/4"	3"	6"	-
601F	35 1/2"	72 3/4"	36 1/16"	72 3/4"	3"	6"	17 3/4"
700TR/TC/TF	27"	80"	25 1/2"	-	1/4"	13"	9"
700BR/BF	27"	34 1/2"	19 1/2"	-	1/4"	13"	9"
249R/RP	24"	34 1/2"	25 3/8"	-	10 1/2"	8 1/2"	-
249FF	24"	34 1/2"	25 3/8"	-	10 1/2"	2 1/2"	18"
245	24"	34 1/2"	25 13/16"	-	1"	2"	18"
235	14 3/4"	34 1/2"	14 3/4"	-	2 1/2"	2 1/2"	11"
430	29 1/2"	83 3/4"	30 1/8"	82 7/8"	75 1/2"	6"	-
427R	27"	80"	25 1/2"	-	1/4"	13"	-
427	27"	80"	25 1/2"	-	1/4"	13"	-
424	24"	34 1/2"	25 3/8"	-	1/4"	13"	-

